MASSACHUSETTS DEPARTMENT OF ENVIRONMENTAL PROTECTION COMMONWEALTH OF MASSACHUSETTS 1 WINTER STREET BOSTON, MASSACHUSETTS 02108 UNITED STATES ENVIRONMENTAL PROTECTION AGENCY OFFICE OF ECOSYSTEM PROTECTION REGION I BOSTON, MASSACHUSETTS 02203

JOINT PUBLIC NOTICE OF A DRAFT NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT TO DISCHARGE INTO THE WATERS OF THE UNITED STATES UNDER SECTION 301 AND 402 OF THE CLEAN WATER ACT (THE "ACT"), AS AMENDED, AND REQUEST FOR STATE CERTIFICATION UNDER SECTION 401 OF THE ACT.

DATE OF NOTICE: November 15, 2017 – December 14, 2017

PERMIT NUMBER: MA0101613

PUBLIC NOTICE NUMBER: MA-004-18

NAME AND MAILING ADDRESS OF APPLICANT:

Springfield Water and Sewer Commission P.O. Box 995 Springfield, MA 01101-0995

NAME AND ADDRESS OF THE FACILITY WHERE DISCHARGE OCCURS:

Springfield Regional Waste Water Treatment Facility and from 24 Combined Sewer Overflow Outfalls (CSOs)
Route 5 Bondi Island
Agawam, MA 01001

RECEIVING WATER: Connecticut River, Chicopee River and Mill River

RECEIVING WATER CLASSIFICATION: Class B – Warm Water Fishery

PREPARATION OF THE DRAFT PERMIT:

The U.S. Environmental Protection Agency, (EPA) and the Massachusetts Department of Environmental Protection (MADEP) have cooperated in the development of a permit for the above identified facility. The effluent limits and permit conditions imposed have been drafted to assure that State Water Quality Standards and provisions of the Clean Water Act will be met. EPA has formally requested that the State certify this draft permit pursuant to Section 401 of the Clean Water Act and expects that the draft permit will be certified.

INFORMATION ABOUT THE DRAFT PERMIT:

A fact sheet or a statement of basis (describing the type of facility; type and quantities of wastes; a brief summary of the basis for the draft permit conditions; and significant factual, legal and policy questions considered in preparing this draft permit) may be obtained at no cost by writing or calling EPA's contact person named below:

Meridith Timony US EPA 5 Post Office Square Suite 100 Boston, MA 02109-3912 Telephone: (617) 918-1533

The administrative record containing all documents relating to this draft permit is on file and may be inspected at the EPA Boston office mentioned above between 9:00 a.m. and 5:00 p.m., Monday through Friday, except holidays.

PUBLIC COMMENT AND REQUEST FOR PUBLIC HEARING:

All persons, including applicants, who believe any condition of this draft permit is inappropriate, must raise all issues and submit all available arguments and all supporting material for their arguments in full by December 14, 2017, to the U.S. EPA, 5 Post Office Square, Suite 100, Boston, Massachusetts 02109-23912. Any person, prior to such date, may submit a request in writing to EPA and the State Agency for a public hearing to consider this draft permit. Such requests shall state the nature of the issues proposed to be raised in the hearing. A public hearing may be held after at least thirty days public notice whenever the Regional Administrator finds that response to this notice indicates significant public interest. In reaching a final decision on this draft permit the Regional Administrator will respond to all significant comments and make the responses available to the public at EPA's Boston office.

FINAL PERMIT DECISION AND APPEALS:

Following the close of the comment period, and after a public hearing, if such hearing is held, the Regional Administrator will issue a final permit decision and forward a copy of the final decision to the applicant and each person who has submitted written comments or requested notice. Within 30 days following the notice of the final permit decision any interested person may submit a request for a formal hearing to reconsider or contest the final decision.

LEALDON LANGLEY, DIRECTOR
MASSACHUSETTS WETLANDS
AND WASTEWATER
PROGRAMS
MASSACHUSETTS DEPARTMENT OF
ENVIRONMENTAL PROTECTION

LYNNE HAMJIAN, ACTING DIRECTOR OFFICE OF ECOSYSTEM PROTECTION UNITED STATES ENVIRONMENTAL PROTECTION AGENCY – REGION 1